







# Mentorship Experiences Are Not All the Same: A Survey Study of Oncology Trainees and Early-Career Faculty

Dame Idossa, MD<sup>1,2</sup> ; Ana I. Velazquez, MD, MSc<sup>3,4</sup> ; Miki Horiguchi, PhD<sup>5,6</sup> ; Julia Alberth, BS<sup>7</sup>; Inas Abuali, MD<sup>5,8</sup>; Demetria Smith-Graziani, MD, MPH<sup>9</sup> ; Gilberto de Lima Lopes, MD<sup>10,11</sup> ; Sam Lubner, MD<sup>7,12</sup>; and Narjust Florez, MD<sup>5,6</sup> 

DOI <https://doi.org/10.1200/OP.22.00643>

## ABSTRACT

**PURPOSE** Physician workforce diversity can be a driver of institutional excellence, improving innovation and reducing health disparities. However, the current diversity of the hematology/oncology (HO) workforce does not reflect that of the US population.

**METHODS** We conducted a cross-sectional online survey of current trainees and faculty within 5 years of completing terminal training in oncology specialties.

**RESULTS** Of the 306 respondents, 64 (21%) were under-represented in medicine (URiM) and 161 (53%) identified as male. URiM participants were less likely to have a primary mentor (66%) than non-URiM participants (80%;  $P = .015$ ). Among those who had a primary mentor, URiMs met less frequently (once every 3-6 months or less) with their mentor (19% v 7% non-URiM;  $P = .003$ ). Furthermore, URiMs were more likely to report having mentors outside their own institution (47% v 40% non-URiM;  $P = .002$ ) and making compromises to gain access to mentorship (36% v 23% non-URiM;  $P \leq 0.001$ ). URiMs were also less likely to apply for grants (34% v 42% non-URiM;  $P = .035$ ) and awards (28% v 43% non-URiM;  $P = .019$ ). In multivariable models, URiM individuals were more likely to make compromises to gain access to mentors (odds ratio [OR], 1.96; 95% CI, 1.01 to 3.82) and this remained significant for females (OR, 2.17; 95% CI, 1.26 to 3.75).

**CONCLUSION** URiM individuals may be less likely to have effective mentorship and apply for awards and grant support. Understanding the challenges of URiM trainees can help shape training environments in academic medicine to ensure that they are grounded in diversity, inclusion, and retention.

## ACCOMPANYING CONTENT

 Appendix

 Data Supplement

Accepted March 8, 2023

Published May 16, 2023

JCO Oncol Pract 19: 808-818

© 2023 by American Society of Clinical Oncology



View Online Article

## INTRODUCTION

The importance of workforce diversity has been increasingly recognized in academic medicine; however, the number of physicians from racial and ethnic minority groups under-represented in medicine (URiM) remains low.<sup>1</sup> Although individuals belonging to URiM groups make up one third of the US population, only 9% of independently practicing physicians identify as URiM.<sup>2</sup> This trend is similar at the trainee level with only 6% of hematology/oncology (HO) trainees self-identifying as Hispanic/Latino(a), 3.8% as Black or African American, 0.1% as American Indian/Alaskan Native, and only one Native Hawaiian/Pacific Islander trainee as of 2019.<sup>2</sup> It is also increasingly evident that certain Southeast Asian subgroups (ie, Hmong, Filipino, Vietnamese, Cambodian, and Laotian) are URiM.<sup>3</sup> Because the Asian group is aggregated in many reporting, data are lacking regarding how many individuals of these backgrounds comprise oncology trainees and early-career faculty.<sup>4</sup>

According to a 2018 Graduate Medical Education census, the diversity among internal medicine (IM) subspecialty fellows does not reflect the diversity of the US population.<sup>5</sup> In particular, HO fellowships have consistently ranked last of all IM subspecialties in racial/ethnic diversity.<sup>5,6</sup> Lack of mentorship and role models are barriers to careers in medicine disproportionately experienced by URiM individuals across the training pipeline, from high school to early career.<sup>7-10</sup>

The influence that mentorship has on academic productivity, advancement, and career satisfaction has been well documented. Specifically, in HO, Masselink et al<sup>11</sup> have demonstrated that increased opportunities for exposure to hematology patients, research opportunities, and mentorship throughout HO training could help increase the pipeline for potential hematologists. Similarly, mentorship has been identified as a reason to pursue training and careers in radiation oncology and gynecologic oncology.<sup>12,13</sup> Unfortunately,

## CONTEXT

### Key Objective

What are mentorship experiences of trainees and early-career faculty in oncology subspecialties and do these experiences differ for individuals from backgrounds under-represented in medicine (URiM)?

### Knowledge Generated

Participants from backgrounds URiM were less likely to have a primary mentor and more likely to have mentors outside their own institution and/or make compromises to gain access to mentorship when compared with participants who were not from backgrounds URiM. They were also less likely to have an advisor, a coach, or a sponsor and less likely to apply for grants and awards compared with non-URiM participants.

### Relevance

Understanding the challenges of URiM trainees can help shape training environments in academic medicine to ensure that they are grounded in diversity, inclusion, and retention.

women and URiM trainees and faculty face many barriers to career advancement in academia, with lack of mentorship and sponsorship being key challenges.<sup>14-16</sup> For example, over half of women trainees in radiation oncology report that lack of mentorship affected their career ambitions and academic productivity.<sup>17</sup> However, little is known about the role of mentoring on career choices of URiM trainees and early-career faculty in oncology subspecialties. Considering this paucity of data, we examined differences in mentorship experiences of URiM and non-URiM trainees and early-career faculty in adult HO, radiation oncology, and gynecologic oncology with regards to securing mentorship during training and explored ways in which such experiences affected their overall career choices.

## METHODS

We conducted a cross-sectional survey study to characterize the mentorship experiences of current trainees and early-career faculty in oncology subspecialties. The target population was trainees and early-career faculty in medical HO, radiation oncology, and gynecologic oncology. Early-career faculty was defined as practicing physicians within 5 years of their terminal training. In the survey, an advisor was defined as someone who gives you guidance regarding your career/goals. A coach was defined as someone who encourages you, helps you establish career goals, and work with you to help you accomplish those goals. A sponsor was defined as someone to vouch for you to get onto projects and into roles that you may not have had access to on your own. This study was not conducted for a confirmatory purpose but a hypothesis-generating purpose. Thus, the study sample size was not on the basis of a power calculation to detect a prespecified difference in survey response between URiM and non-URiM participants.

The survey was open for 30 days from April 1, 2021, to April 30, 2021. There were 55 questions including multiple-choice,

Likert scale, and open-ended questions to assess the trainees' and early-career faculty's demographics, mentorship experiences, experiences with discrimination and/or microaggressions, and future career plans.

The nonexternally validated survey was designed by the study team using the SurveyMonkey platform for the purposes of this research (SurveyMonkey, San Mateo, CA). Before administration, a pilot survey was sent to members from the Florez Lab to review the content, flow, and presence of leading questions. A multimodal approach using snowball sampling (type of convenience sampling) was used to recruit study participants. A link to the online questionnaire (Data Supplement, online only) was sent via institutional e-mail address to HO, radiation oncology, and gynecologic oncology program directors and administrators for distribution (n = 165). In addition, social media channels (Facebook and Twitter) were used for recruitment and to reach the target population, although links to the survey were not made public on social media. URiMs were specifically encouraged in our social media messaging to participate in the study. Upon completion of the questionnaire, participants received a gift card of \$20 in US dollars. The survey questions used for the analysis of this manuscript are included in the appendix.

Quantitative analysis was performed on the participants' demographics and experiences with mentorship. Fisher's exact tests were used to explore the bivariate association between each of the participants' characteristics/experiences and URiM status (URiM v non-URiM). URiM status was defined as self-identifying as Hispanic ethnicity or the following racial groups: Native American/Pacific Islander Black, Southeast Asian, or multiracial—with URiM ethnicity or aforementioned racial groups. In the bivariate association analysis, missing data were included as the not reported category for the primary analyses, considering missing values are not necessarily noninformative. As a sensitivity analysis,

we performed the complete case analyses under the assumption that missing values are not informative. Multivariable logistic regression analyses were performed to assess the association of participants' characteristics with the primary outcome of having a primary mentor and secondary outcomes of difficulty of finding a mentor and making compromises to gain mentorship. The participants with missing values in the outcome of interest or any predictor variables were omitted from the analysis. The degree of association was summarized by the odds ratio (OR) and its 95% CI. A two-sided  $P < .05$  was considered statistically significant. Study data were deidentified and analyzed using R version 4.0.3 (R Foundation for Statistical Computing, Vienna, Austria). All study procedures were approved by the University Wisconsin, Madison Institutional Review Board.

## RESULTS

A total of 321 individuals initiated the online survey (Data Supplement), of whom 306 (95%) completed it during the study period. The respondents comprised individuals with specialty training in adult combined HO ( $n = 179$ ; 58.5%), radiation oncology ( $n = 61$ ; 20%), medical oncology ( $n = 54$ ; 18%), adult hematology ( $n = 11$ ; 4%), and gynecology oncology ( $n = 1$ ; <1%). The majority, 278 (91%), were trainees and 28 (9%) were early-career faculty within 5 years of the completion of terminal training. Of the 306 respondents, 64 (21%) were URiM. Five participants whose URiM status was unknown were removed from the analysis cohort comparing mentorship experiences among URiM and non-URiM participants (primary outcome). The demographic and clinical characteristics of the 301 study participants are reported in Table 1. Overall, URiM individuals were more likely to be born outside of the United States compared with their non-URiM counterparts (50% v 28%;  $P = .001$ ). Forty six percent ( $n = 139$ ) of respondents identified as women; however, when the data were stratified by URiM status, there was a larger proportion of women in the URiM group ( $n = 32$ , 50%) versus the non-URiM group ( $n = 107$ , 45%;  $P = .035$ ).

### Mentorship Experiences

Most study participants reported having a primary mentor ( $n = 231$ ; 77%) and an advisor ( $n = 153$ ; 51%), but few individuals had a coach ( $n = 55$ ; 18%) or sponsor ( $n = 74$ ; 25%). Overall, there were no statistically significant differences in the attributes of mentors that were important to the study participants. The most important characteristics of a mentor selected by the entire cohort was the availability of the mentor, followed by personality match, track record of mentorship, mentor's accomplishments and seniority, and finally, sharing a similar background with the mentor.

In general, trainees and early-career faculty from URiM backgrounds were less likely to have a primary mentor (66%) compared with non-URiM participants (80%;  $P = .015$ ; Fig 1). Among the 231 (42 URiM and 189 non-URiM) individuals who reported having a primary mentor, URiM individuals were less

likely to report having received mentorship on a primary research project (74% v 91% non-URiM;  $P = .008$ ), poster presentation (31% v 55% non-URiM;  $P = .006$ ), coauthorship of book chapters (0% v 16% non-URiM;  $P = .002$ ), writing grants (17% v 33% non-URiM;  $P = .041$ ), or clinical skills (45% v 63% non-URiM;  $P = .038$ ; Table 2). URiM participants were also more likely to meet less frequently (once every 3-6 months or less) with their mentor compared with non-URiMs (19% v 7%;  $P = .003$ ; Table 3).

URiM individuals were less likely to rate their ability to find a mentor as easy/very easy compared with non-URiM participants (22% v 47% non-URiM;  $P \leq 0.001$ ). They were also significantly more likely to report making compromises, such as working on projects outside of their disease focus or career goals, to access mentorship (36% v 23% non-URiM;  $P < .001$ ). More URiM individuals also reported having mentors outside of their own institution (47% v 40% non-URiM;  $P = .002$ ; Table 3).

Initially, most participants (71%) reported not knowing the difference between a mentor, advisor, coach, and sponsor before completing this questionnaire. However, on the basis of the standard definitions provided in the questionnaire, URiM participants were less likely to report having an advisor (38% v 54% non-URiM;  $P = .017$ ), a coach (13% v 20% non-URiM;  $P = .054$ ), or a sponsor (19% v 26% non-URiM;  $P = .046$ ; Fig 1).

In multivariable models controlling for sex, country of birth, and household income, individuals born outside of the United States had lower odds of having a primary mentor (OR, 0.41; 95% CI, 0.23 to 0.75) compared with individuals born in the United States and reported having a difficult/very difficult time finding mentors (OR, 2.13; 95% CI, 1.12 to 4.06). Furthermore, URiM individuals (OR, 1.96; 95% CI, 1.01 to 3.82) and females (OR, 2.17; 95% CI, 1.26 to 3.75) were more likely to make compromises to gain access to mentors compared with their male and non-URiM counterparts (Table 4).

### Experiences Applying for Grants and Awards

When evaluating grantsmanship and award applications, a similar pattern was observed, in that URiM participants were less likely to apply for grants (34% v 42% non-URiM;  $P = .035$ ) and awards (28% v 43%;  $P = .019$ ). Among those who applied to grants, there were no statistically significant differences in the types of grant applications (ie, T32, young investigator award, F31, and National Institutes of Health [NIH] K-awards) submitted between URiM versus non-URiM applicants (Table 3). Although it did not reach statistical significance, a higher proportion of individuals with a primary mentor submitted grant applications, compared with those without a primary mentor (44% v 30%;  $P = .068$ ; Appendix Table A1, online only).

Similarly, of 119 individuals (18 URiM and 101 non-URiM) who applied for awards (ie, merit, travel, and institutional awards),

**TABLE 1. Characteristics of Participants**

Variable	URiM (n = 64), No. (%)	Non-URiM (n = 237), No. (%)	P
<b>Ethnicity</b>			
Hispanic	39 (60.9)	0	NA <sup>a</sup>
Non-Hispanic	25 (39.1)	237 (100)	
<b>Race</b>			
White	20 (31.2)	126 (53.2)	NA <sup>a</sup>
Black/African American	20 (31.2)	0	
Middle Eastern	0	11 (4.6)	
East Asian	0	31 (13.1)	
South Asian	1 (1.6)	63 (26.6)	
South East Asian	7 (10.9)	0	
Multiracial	11 (17.2)	1 (0.4)	
Other/not reported	5 (7.8)	5 (2.1)	
<b>Age, years</b>			
<25	2 (3.1)	0	.021
25-29	3 (4.7)	34 (14.3)	
30-34	40 (62.5)	144 (60.8)	
35-39	15 (23.4)	52 (21.9)	
≥40	3 (4.7)	6 (2.5)	
Not reported	1 (1.6)	1 (0.4)	
<b>Sex</b>			
Male	30 (46.9)	130 (54.9)	.035 <sup>b</sup>
Female	32 (50.0)	107 (45.1)	
Other/not reported	2 (3.1)	0	
<b>Practice location</b>			
Academic/university-based	57 (89.1)	223 (94.1)	.034 <sup>b</sup>
Community-based	1 (1.6)	7 (3.0)	
Community-based/university-affiliated	4 (6.2)	2 (0.8)	
Government	0	3 (1.3)	
Industry	0	1 (0.4)	
Not reported	2 (3.1)	1 (0.4)	
<b>Annual No. of trainees</b>			
≤3	17 (26.6)	58 (24.5)	.427
4-7	25 (39.1)	102 (43.0)	
8-11	15 (23.4)	38 (16.0)	
≥12	7 (10.9)	39 (16.5)	
<b>Training specialty/current practice</b>			
Adult hematology	5 (7.8)	6 (2.5)	.217
Adult hematology/oncology	39 (60.9)	138 (58.2)	
Adult medical oncology	11 (17.2)	40 (16.9)	
Gynecology oncology	0	1 (0.4)	
Radiation oncology	9 (14.1)	52 (21.9)	
<b>PGY level</b>			
PGY 2	0	19 (8.0)	.148
PGY 3	4 (6.2)	16 (6.8)	
PGY 4	15 (23.4)	45 (19.0)	
PGY 5	17 (26.6)	77 (32.5)	
PGY 6	17 (26.6)	47 (19.8)	
PGY 7	5 (7.8)	12 (5.1)	
Not applicable	6 (9.4)	21 (8.9)	

(continued on following page)

**TABLE 1.** Characteristics of Participants (continued)

Variable	URiM (n = 64), No. (%)	Non-URiM (n = 237), No. (%)	P
Years out of fellowship			
1	7 (10.9)	11 (4.6)	.022
2	1 (1.6)	8 (3.4)	
3	4 (6.2)	3 (1.3)	
4	2 (3.1)	3 (1.3)	
Not applicable	50 (78.1)	212 (89.5)	
Country of birth			
United States	30 (46.9)	169 (71.3)	.001
Non-US	32 (50.0)	66 (27.8)	
Not reported	2 (3.1)	2 (0.8)	
Medical school			
United States	39 (60.9)	183 (77.2)	.011
Non-US	25 (39.1)	54 (22.8)	
First-generation college graduate			
Yes	14 (21.9)	31 (13.1)	.112
No	50 (78.1)	206 (86.9)	
Parent's highest level of education			
High school or less	11 (17.2)	15 (6.3)	.032
Some college	4 (6.2)	19 (8.0)	
Four-year college	13 (20.3)	50 (21.1)	
Masters	8 (12.5)	54 (22.8)	
Doctoral	25 (39.1)	96 (40.5)	
Not reported	3 (4.7)	3 (1.3)	
Household income			
Low	15 (23.4)	22 (9.3)	.003
Middle	32 (50.0)	141 (59.5)	
High	14 (21.9)	72 (30.4)	
Not reported	3 (4.7)	2 (0.8)	
Place of upbringing			
Inner city	8 (12.5)	15 (6.3)	.004
Urban	25 (39.1)	48 (20.3)	
Rural	4 (6.2)	32 (13.5)	
Suburb	26 (40.6)	138 (58.2)	
Other/not reported	1 (1.6)	4 (1.7)	
Current research project			
Basic science	7 (10.9)	8 (3.4)	.073
Clinical	39 (60.9)	160 (67.5)	
Outcomes/social science	6 (9.4)	20 (8.4)	
Translational	5 (7.8)	33 (13.9)	
Multiple	0	3 (1.3)	
Other/not reported	7 (10.9)	13 (5.5)	

Abbreviations: NA, not available; PGY, post graduate year; URiM, under-represented in medicine.


<sup>a</sup>We did not perform statistical tests for ethnicity and race because the URiM status was determined on the basis of these variables.

<sup>b</sup>We did not observe a statistically significant *P* value (<0.05) for these variables when excluding missing values from the analysis.

URiM individuals were less likely to apply for merit awards (28% v 61% non-URiM; *P* = .010; [Table 3](#)). We observed that those with a primary mentor were more likely to apply for awards, compared with individuals without a primary mentor (45% v 25%; *P* = .005; [Appendix Table A1](#)).

### Career Plans and Perceived Support

Overall, those who had a primary mentor endorsed feeling that their careers goals were supported, compared with those without a primary mentor (82% v 57%; *P* ≤ 0.001; [Appendix](#)



**FIG 1.** Comparison of access to mentors, advisors, coaches, and sponsors among URiM versus non-URiM participants. URiM, under-represented in medicine.

**Table A1).** Most participants, 226 (75%), felt that their career goals were supported at their institution and there was no statistically significant difference between URiM and non-URiM participants (67% v 77%;  $P = .182$ ). However, a lesser proportion of URiM participants reported feeling supported by their mentors (67% v 83%;  $P = .035$ ; **Table 3**).

Most participants (56%) planned to pursue a career in academia. The proportion of individuals who reported changing their career plans by the end of training was small (25% of URiM and 37% of non-URiM). Granular analyses regarding the career changes were limited by the small

sample size. Among the total study participants, 25% reported changing their career plans from academic medicine to other fields including community practice, government, and/or industry. The proportion of participants who reported changing their career plans from community practice to academic medicine in non-URiM was numerically higher than those in URiM (46% v 25%;  $P = .106$ ; **Table 3**).

## DISCUSSION

Improving the diversity of our physician workforce can be a mechanism to spark innovation in medicine and reduce

**TABLE 2.** Type of Mentorship Provided for Individuals Who Had Mentors (n = 231)

Type	URiM (n = 42), No. (%)	Non-URiM (n = 189), No. (%)	P
Primary research	31 (73.8)	171 (90.5)	.008
Quality improvement project	4 (9.5)	24 (12.7)	.794
Poster presentation	13 (31.0)	104 (55.0)	.006
Oral presentation	7 (16.7)	53 (28.0)	.173
Coauthoring a paper	22 (52.4)	119 (63.0)	.223
Coauthoring a book chapter	0	31 (16.4)	.002
Writing a grant	7 (16.7)	63 (33.3)	.041
First job search	9 (21.4)	51 (27.0)	.561
Salary negotiation on first job	2 (4.8)	24 (12.7)	.182
Provided clinical mentorship	19 (45.2)	119 (63.0)	.038
Provided career mentorship	19 (45.2)	115 (60.8)	.083
Leadership position search	4 (9.5)	37 (19.6)	.179

Abbreviation: URiM, under-represented in medicine.

**TABLE 3.** Participants' Experience in Mentorship, Grant/Award Applications, and Career Support/Goal

Variable	URiM (n = 64), No. (%)	Non-URiM (n = 237), No. (%)	P
Experience in mentorship			
Having a primary mentor			
Yes	42 (65.6)	189 (79.7)	.015 <sup>a</sup>
No	18 (28.1)	45 (19.0)	
Not reported	4 (6.2)	3 (1.3)	
Having a mentor outside			
Yes	30 (46.9)	95 (40.1)	.002
No	26 (40.6)	136 (57.4)	
Not reported	8 (12.5)	6 (2.5)	
Ease of finding a mentor			
Very easy/easy	14 (21.9)	111 (46.8)	<.001
Moderate/difficult/very difficult	42 (65.6)	119 (50.2)	
Not reported	8 (12.5)	7 (3.0)	
Frequency of meeting with their primary mentor			
Meet once every 3 months or more frequent	31 (73.8) <sup>a</sup>	173 (91.5) <sup>a</sup>	.003
Meet once every 3-6 months or less frequent	8 (19.0) <sup>a</sup>	13 (6.9) <sup>a</sup>	
Not reported	3 (7.1) <sup>a</sup>	3 (1.6) <sup>a</sup>	
Compromises to gain access to their mentors			
Yes	23 (35.9)	54 (22.8)	<.001
No	33 (51.6)	177 (74.7)	
Not reported	8 (12.5)	6 (2.5)	
Experience in grant/award applications			
Applied for any grant			
Yes	22 (34.4)	99 (41.8)	.035
No	34 (53.1)	129 (54.4)	
Not reported	8 (12.5)	9 (3.8)	
Type of grant: T32			
Yes	5 (22.7) <sup>b</sup>	26 (26.3) <sup>b</sup>	1
Type of grant: F31			
Yes	1 (4.5) <sup>b</sup>	12 (12.1) <sup>b</sup>	.459
Type of grant: YIA			
Yes	11 (50.0) <sup>b</sup>	50 (50.5) <sup>b</sup>	1
Type of grant: NIH K-type career development			
Yes	1 (4.5) <sup>b</sup>	2 (2.0) <sup>b</sup>	.455
Applied for any award			
Yes	18 (28.1)	101 (42.6)	.019
No	38 (59.4)	125 (52.7)	
Not reported	8 (12.5)	11 (4.6)	
Type of award: merit			
Yes	5 (27.8) <sup>c</sup>	62 (61.4) <sup>c</sup>	.010
Type of award: travel award			
Yes	10 (55.6) <sup>c</sup>	39 (38.6) <sup>c</sup>	.201
Type of award: institutional			
Yes	6 (33) <sup>c</sup>	28 (27.7) <sup>c</sup>	.777
Experience in career support/goal			
Having career goal support by their institution			
Yes	43 (67.2)	183 (77.2)	.182
No	12 (18.8)	36 (15.2)	
Not reported	9 (14.1)	18 (7.6)	

(continued on following page)

**TABLE 3.** Participants' Experience in Mentorship, Grant/Award Applications, and Career Support/Goal (continued)

Variable	URiM (n = 64), No. (%)	Non-URiM (n = 237), No. (%)	P
Having career goal support by their mentors			
Yes	29 (67.4) <sup>d</sup>	151 (82.5) <sup>d</sup>	.035
Changing their career plans by the end of training			
Yes	16 (25.0)	87 (36.7)	.112
No	39 (60.9)	131 (55.3)	
Not reported	9 (14.1)	19 (8.0)	
Type of the career plan change because of their mentorship experience			
Community practice to academic medicine	4 (25.0) <sup>e</sup>	40 (46.0) <sup>e</sup>	.106
Other listed types <sup>f</sup>	7 (43.8) <sup>e</sup>	37 (42.5) <sup>e</sup>	
Others/not reported	5 (31.2) <sup>e</sup>	10 (11.5) <sup>e</sup>	

Abbreviations: NIH, National Institutes of Health; URiM, under-represented in medicine; YIA, young investigator award.

<sup>a</sup>The denominator is the number of participants who reported having a primary mentor (n = 42 for URiM and n = 189 for non-URiM groups).

<sup>b</sup>The denominator is the number of participants who reported having experience in applying for any grant (n = 22 for URiM and n = 99 for non-URiM groups).

<sup>c</sup>Denominator is the number of participants who reported having experience in applying for any award (n = 18 for URiM and n = 101 for non-URiM groups).

<sup>d</sup>The denominator is the number of participants who reported having a career goal support by their institution (n = 43 for URiM and n = 183 for non-URiM groups).

<sup>e</sup>The denominator is the number of participants who reported changing their career plan by the end of training because of their mentorship experience (n = 16 for URiM and n = 87 for non-URiM groups).

<sup>f</sup>Other listed types include academic medicine to government/industry, government to academic medicine/community practice, and industry to academic medicine.

<sup>g</sup>We did not observe a statistically significant P value (<0.05) for this variable when excluding missing values from the analysis.

health disparities. The importance of workforce diversity in general has been well established.<sup>18</sup> For example, the problem-solving skills of diverse teams have been shown to outperform those of homogeneous ones, and academic papers coauthored by ethnically diverse contributors have been shown to have a greater impact on the scientific community.<sup>19,20</sup> The lack of diversity within institutions can often be a symptom of systemic discrimination and injustice, which also need to be recognized and addressed. As the US population becomes more diverse, it is increasingly important to ensure that the workforce of oncology subspecialties reflects that diversity.<sup>6</sup> Although prior studies have also demonstrated that mentorship in hematology, for

instance, is positively associated with trainees pursuing careers in this specialty,<sup>11</sup> there is currently a paucity of data regarding if this is the case for groups historically excluded from oncology subspecialties.

To our knowledge, this is the first study to describe the challenges around access to mentorship and sponsorship experienced by URiM trainees and early-career faculty in oncology subspecialties. Overall, our study demonstrated that many trainees and early-career faculty from all backgrounds do not have mentors, advisors, coaches, and/or sponsors. This was especially apparent for individuals from backgrounds URiM, with less URiM participants in the study population

**TABLE 4.** Multivariable Logistic Regression Analysis of Participants' Characteristics Associated With the Primary and Secondary Outcomes

Variable	Outcome		
	Having a Primary Mentor <sup>a</sup>	Difficulty of Finding a Mentor <sup>b</sup>	Making Compromises to Gain Mentorship <sup>c</sup>
	OR (95% CI)	OR (95% CI)	OR (95% CI)
URiM status (ref: non-URiM)	0.72 (0.36 to 1.43)	1.29 (0.61 to 2.73)	1.96 (1.01 to 3.82)
Female sex (ref: male)	0.89 (0.50 to 1.58)	1.78 (0.96 to 3.31)	2.17 (1.26 to 3.75)
Non-US-born (ref: US-born)	0.41 (0.23 to 0.75)	2.13 (1.12 to 4.06)	1.37 (0.76 to 2.46)
Middle household income (ref: low)	0.87 (0.35 to 2.13)	1.38 (0.51 to 3.72)	1.25 (0.52 to 2.98)
High household income (ref: low)	0.78 (0.29 to 2.10)	1.40 (0.47 to 4.13)	1.47 (0.58 to 3.77)

Abbreviations: OR, odds ratio; URiM, under-represented in medicine.

<sup>a</sup>A total of 288 participants were included in the analysis.

<sup>b</sup>A total of 281 participants were included in the analysis. Respondents who rated finding mentors as very difficult or difficult were considered as having difficulty of finding mentors.

<sup>c</sup>A total of 282 participants were included in the analysis.



reporting adequate mentorship during their oncology training compared with non-URiM individuals. Furthermore, URiM participants had higher odds of making compromises to gain mentorship, and this was especially significant for women. This can potentially exacerbate existing challenges and lead to increased symptoms of burnout, as these individuals seek both in and out of their institutions for adequate mentorship. We also noted that international medical graduates also had lower odds of having a primary mentor. These findings are consistent with prior work showing the mentorship and sponsorship challenges of URiM trainees and faculty in other fields of academic medicine,<sup>9,21</sup> women in academic medicine,<sup>22</sup> and women in radiation oncology.<sup>23,24</sup> These findings highlight compounded difficulties that individuals with multiple marginalized identities may face in accessing mentorship and sponsorship in oncology subspecialties.

Our data also demonstrate lower application rates for grants/awards among URiM participants. Multiple studies have already shown lower application rates for R01 grants or career development awards in Black and Hispanic investigators compared with their White counterparts,<sup>25,26</sup> where the decreased submission of awards was more pronounced in applicants with intersectional identities, such as Black women.<sup>25</sup> There has also been a significant funding gap, as Black and Hispanic investigators have historically been less likely to receive NIH funding compared with non-Hispanic White investigators.<sup>27</sup> Similar patterns have been observed with regards to national society recognition awards. Among seven major hematology and oncology societies, women and minority groups have been shown to be under-represented among award recipients.<sup>28</sup> This has dramatic implications for the future of academic medicine and oncology, as it can lead to less academic advancement and career satisfaction for URiM hematologists/oncologists. Such effects can subsequently perpetuate the cycle of a homogenous workforce and stifle innovation.

A strength of this study is that it included higher proportion of URiM participants relative to their share in the general practicing oncology workforce. However, the total number of participants who belonged to URiM groups is still small in this study and further highlights the glaring issue that the oncology workforce does not reflect the diversity of the US population. Despite this, to our knowledge, we were able to carry out the largest study to date characterizing the mentorship experiences of trainees and junior faculty in oncology subspecialties.

There are inherent limitations to our cross-sectional study design. Although such a design allowed us to capture data at a single time point, it did not allow us to establish causal or longitudinal relationships. In addition, we were unable to calculate a response rate because of the e-mail and social media recruitment method used in this study and the survey used was not externally validated, which can introduce bias. Furthermore, the study period was amid the COVID-19 pandemic, which may have affected the participants mentorship experiences overall. For instance, in HO, several

studies have shown increased self-reported symptoms of burnout, stress, and worry regarding loss of clinical opportunities, grant funding, and variable productivity related to the COVID-19 pandemic, which may have influenced our findings.<sup>29,30</sup>

For the bivariate association analysis, we reported the primary analysis results, where we included missing values as the not reported category. Our sensitivity analyses suggested that several findings from the primary analyses were not stable. Specifically, statistically significant associations of the URiM status with sex, practice location, and primary mentor status did not reach  $P < .05$  with the complete case analyses excluding missing values. A caution should be exercised in interpreting the associations of these variables with the URiM status. Finally, the snowball sampling method used also inherently introduces selection bias and differential recruitment, as evidenced by there being only one ( $n = 1$ ) participant from gynecology/oncology. Despite these limitations, we believe that our study highlights important challenges experienced by oncology subspecialty trainees and early-career faculty from backgrounds historically excluded from medicine.

Understanding the challenges of URiM trainees can help shape training environments in academic medicine. Given the challenges for URiM trainees and early-career faculty in oncology subspecialties, training programs must consider new innovative mentoring programs that prioritize diversity. Prior work has demonstrated mentorship programs can be successful when they are aligned with the institutional goals and resources are established to sustain efforts that foster an environment of inclusion and diversity.<sup>31,32</sup> Various models of mentorship, such as the cascading model,<sup>33</sup> can be used to amplify the reach of senior faculty mentors, by pairing them with early-career faculty, and pairing the early-career faculty with trainees, and so forth. The rapid uptake of online meeting platforms because of the COVID-19 pandemic can also be used to pair mentors from various institutions with URiM trainees and early-career faculty across the country, as remote mentoring has been shown to be an effective avenue to provide mentorship to women in radiation oncology.<sup>24</sup> Finally, the ongoing training of potential mentors to ensure effective mentoring experiences remains crucial.<sup>34</sup> Institutions must provide support and academic incentives to faculty who continue to have more and more demands on their time. Most importantly, mentorship programs should be evaluated regularly to ensure they are meeting their intended goals.

Tackling the challenges of lack of diversity in academic medicine and sparse mentorship of URiM trainees and early-career faculty is often relegated to individuals who share a similar background. However, faculty from URiM backgrounds are grossly under-represented in oncology subspecialties<sup>35</sup> and in leadership<sup>36</sup> across National Cancer Institute-designated cancer centers. As a result, many are often disproportionately taxed with extra responsibilities in the name of diversity (minority tax).<sup>37</sup>

Multiple studies have shown that lack of racial/ethnic concordance between mentor and mentee does not adversely affect satisfaction with or success of mentorship programs.<sup>15</sup> Our study confirms these findings, as sharing a similar background to the

mentor was seen as the least important characteristic of a mentor by the entire cohort. Therefore, mentorship of individuals from historically excluded groups in medicine remains the responsibility of our entire academic community.

## AFFILIATIONS

<sup>1</sup>Division of Hematology, Oncology, and Transplantation, University of Minnesota, Minneapolis, MN

<sup>2</sup>Masonic Comprehensive Cancer Center, Minneapolis, MN

<sup>3</sup>Department of Medicine, Division of Hematology/Oncology, University of California, San Francisco, CA

<sup>4</sup>UCSF Helen Diller Family Comprehensive Cancer Center, San Francisco, CA

<sup>5</sup>Dana-Farber Cancer Institute, Boston, MA

<sup>6</sup>Harvard Medical School Boston, MA

<sup>7</sup>University of Wisconsin School of Medicine and Public Health, Madison, WI

<sup>8</sup>Division of Hematology/Oncology, Massachusetts General Hospital, Boston, MA

<sup>9</sup>Department of Medicine, Division of Hematology/Oncology, Emory University, Atlanta, GA

<sup>10</sup>Department of Medicine, Division of Hematology/Oncology, University of Miami, Miami, FL

<sup>11</sup>Sylvester Comprehensive Cancer Center, Miami, FL

<sup>12</sup>Department of Medicine, Division of Hematology/Oncology, University of Wisconsin, Madison, WI

## CORRESPONDING AUTHOR

Dame Idossa, MD, Department of Medicine, University of Minnesota, 420 Delaware St SE, MMC 480, Minneapolis, MN 55455; e-mail: didossa@umn.edu.

## DISCLAIMER

The content is solely the responsibility of the authors and does not necessarily represent the official views of the NIH.

## REFERENCES

- Soto-Greene M, Culbreath K, Guzman DE, et al: Diversity and inclusion in the academic medicine workforce: Encouraging medical students and residents to consider academic careers. *MedEdPORTAL* 14:10689, 2018
- Association of American Medical Colleges: Diversity in medicine: Facts and figures 2019. <https://www.aamc.org/data-reports/workforce/report/diversity-medicine-facts-and-figures-2019>
- AAMC diversity facts and figures, 2016. <https://www.aamcdiversityfactsandfigures2016.org/report-section/section-2/>
- Southeast Asians are underrepresented in STEM. The label "Asian" boxes them out more, 2021. <https://www.npr.org/2021/12/12/1054933519/southeast-asian-representation-science>
- Santhosh L, Babik JM: Trends in racial and ethnic diversity in internal medicine subspecialty fellowships from 2006 to 2018. *JAMA Netw Open* 3:e1920482, 2020
- Velazquez Manana AJ, Leibbrandt R, Duma N: Trainee and workforce diversity in hematology and oncology: Ten years later what has changed? *J Clin Oncol* 38, 2020 (suppl 15; abstr 11000)
- Zayas LE, McGuigan D: Experiences promoting healthcare career interest among high-school students from underserved communities. *J Natl Med Assoc* 98:1523-1531, 2006
- Bright CM, Duefield CA, Stone VE: Perceived barriers and biases in the medical education experience by gender and race. *J Natl Med Assoc* 90:681-688, 1998
- Ramanan RA, Taylor WC, Davis RB, et al: Mentoring matters. Mentoring and career preparation in internal medicine residency training. *J Gen Intern Med* 21:340-345, 2006
- Price EG, Gozu A, Kern DE, et al: The role of cultural diversity climate in recruitment, promotion, and retention of faculty in academic medicine. *J Gen Intern Med* 20:565-571, 2005
- Masselink LE, Erikson CE, Connell NT, et al: Associations between hematology/oncology fellows' training and mentorship experiences and hematology-only career plans. *Blood Adv* 3:3278-3286, 2019
- Palisoul M, Greenwade M, Massad LS, et al: Factors influencing residents' interest in gynecologic oncology fellowship. *Gynecol Oncol Rep* 30:100504, 2019
- Boyd GH, Rand AE, DeNunzio NJ, et al: The radiation oncology mentorship initiative: Analysis of a formal mentoring initiative for medical students interested in radiation oncology. *J Cancer Educ* 35:893-896, 2020
- Blackstock U: Why Black doctors like me are leaving faculty positions in academic medical centers. <https://www.statnews.com/2020/01/16/black-doctors-leaving-faculty-positions-academic-medical-centers/#:~:text=There%20are%20many%20reasons%20for,attrition%20from%20academic%20medical%20centers>
- Beech BM, Calles-Escandon J, Hairston KG, et al: Mentoring programs for underrepresented minority faculty in academic medical centers: A systematic review of the literature. *Acad Med* 88:541-549, 2013
- Fang D, Moy E, Colburn L, et al: Racial and ethnic disparities in faculty promotion in academic medicine. *JAMA* 284:1085-1092, 2000
- Osborn VW, Doke K, Griffith KA, et al: A survey study of female radiation oncology residents' experiences to inform change. *Int J Radiat Oncol Biol Phys* 104:999-1008, 2019
- Winkfield KM, Flowers CR, Mitchell EP: Making the case for improving oncology workforce diversity. *Am Soc Clin Oncol Ed Book* 37:18-22, 2017
- Freeman RB, Huang W: Collaborating with people like me: Ethnic coauthorship within the United States. *J Labor Econ* 33:S289-S318, 2015
- Hong L, Page SE: Groups of diverse problem solvers can outperform groups of high-ability problem solvers. *Proc Natl Acad Sci U S A* 101:16385-16389, 2004
- Nivet MA, Taylor VS, Butts GC, et al: Diversity in academic medicine no. 1 case for minority faculty development today. *Mt Sinai J Med* 75:491-498, 2008
- Levine RB, Ayyala MS, Skarupski KA, et al: "It's a little different for men"—Sponsorship and gender in academic medicine: A qualitative study. *J Gen Intern Med* 36:1-8, 2021

## PRIOR PRESENTATION

Presented in part at ASCO 2022 Poster Presentation—Merit award, Chicago, IL, June 4, 2022.

## SUPPORT

Supported by University of Wisconsin Carbone Cancer Center. A.I.V. is supported by the National Institute on Aging of the National Institutes of Health (NIH) under award P30AG015272.

## AUTHORS' DISCLOSURES OF POTENTIAL CONFLICTS OF INTEREST

Disclosures provided by the authors are available with this article at DOI <https://doi.org/10.1200/OP.22.00643>.

## AUTHOR CONTRIBUTIONS

**Conception and design:** Dame Idossa, Ana I. Velazquez, Inas Abuali, Narjust Florez

**Financial support:** Narjust Florez

**Administrative support:** Sam Lubner, Narjust Florez

**Provision of study materials or patients:** Sam Lubner

**Collection and assembly of data:** Dame Idossa, Ana I. Velazquez, Julia Alberth, Inas Abuali, Demetria Smith-Graziani, Gilberto de Lima Lopes, Sam Lubner, Narjust Florez

**Data analysis and interpretation:** Dame Idossa, Ana I. Velazquez, Miki Horiguchi, Inas Abuali, Demetria Smith-Graziani, Gilberto de Lima Lopes, Sam Lubner, Narjust Florez

**Manuscript writing:** All authors

**Final approval of manuscript:** All authors

**Accountable for all aspects of the work:** All authors

23. Barry PN, Miller KH, Ziegler C, et al: Factors affecting gender-based experiences for residents in radiation oncology. *Int J Radiat Oncol Biol Phys* 95:1009-1016, 2016
24. Seldon C, Wong W, Jagsi R, et al: Remote mentorship in radiation oncology: Lessons to share. *Adv Radiat Oncol* 6:100686, 2021
25. Ginther DK, Kahn S, Schaffer WT: Gender, race/ethnicity, and National Institutes of Health R01 research awards: Is there evidence of a double bind for women of color? *Acad Med* 91:1098-1107, 2016
26. Ginther DK, Schaffer WT, Schnell J, et al: Race, ethnicity, and NIH research awards. *Science* 333:1015-1019, 2011
27. Lauer MS, Roychowdhury D: Inequalities in the distribution of National Institutes of Health research project grant funding. *eLife* 10:e71712, 2021
28. Patel SR, St Pierre F, Velazquez AI, et al: The Matilda effect: Underrecognition of women in hematology and oncology awards. *Oncologist* 26:779-786, 2021
29. Durani U, Major A, Velazquez AI, et al: Impact of COVID-19 on hematology-oncology trainees: A quantitative and qualitative assessment. *JCO Oncol Pract* 18:e586-e599, 2022
30. Velazquez AI, Durani U, Weeks LD, et al: Impact of COVID-19 on hematology-oncology fellowship programs: A quantitative and qualitative survey assessment of fellowship program directors. *JCO Oncol Pract* 18:e551-e563, 2022
31. Peek ME, Kim KE, Johnson JK, et al: "URM candidates are encouraged to apply": A national study to identify effective strategies to enhance racial and ethnic faculty diversity in academic departments of medicine. *Acad Med* 88:405-412, 2013
32. Bonifacino E, Ufomata EO, Farkas AH, et al: Mentorship of underrepresented physicians and trainees in academic medicine: A systematic review. *J Gen Intern Med* 36:1023-1034, 2021
33. Afghani B, Santos R, Angulo M, et al: A novel enrichment program using cascading mentorship to increase diversity in the health care professions. *Acad Med* 88:1232-1238, 2013
34. Pfund C, House SC, Asquith P, et al: Training mentors of clinical and translational research scholars: A randomized controlled trial. *Acad Med* 89:774-782, 2014
35. Kamran SC, Niemierko A, Deville C, et al: Diversity trends by sex and underrepresented in medicine status among US radiation and medical oncology faculty over 5 decades. *JAMA Oncol* 8:221-229, 2022
36. Morgan A, Shah K, Tran K, et al: Racial, ethnic, and gender representation in leadership positions at national cancer institute-designated cancer centers. *JAMA Netw Open* 4:e2112807, 2021
37. Rodríguez JE, Campbell KM, Pololi LH: Addressing disparities in academic medicine: What of the minority tax? *BMC Med Educ* 15:6, 2015



ASCO offers premier scientific events for oncology professionals, patient advocates, industry representatives, and major media outlets worldwide.

View upcoming Meetings and Symposia at [meetings.asco.org](https://meetings.asco.org).

**AUTHORS' DISCLOSURES OF POTENTIAL CONFLICTS OF INTEREST****Mentorship Experiences Are Not All the Same: A Survey Study of Oncology Trainees and Early-Career Faculty**

The following represents disclosure information provided by authors of this manuscript. All relationships are considered compensated unless otherwise noted. Relationships are self-held unless noted. I = Immediate Family Member, Inst = My Institution. Relationships may not relate to the subject matter of this manuscript. For more information about ASCO's conflict of interest policy, please refer to [www.asco.org/rwc](http://www.asco.org/rwc) or [ascopubs.org/op/authors/author-center](http://ascopubs.org/op/authors/author-center).

Open Payments is a public database containing information reported by companies about payments made to US-licensed physicians ([Open Payments](http://Open Payments)).

**Ana I. Velazquez**

**Stock and Other Ownership Interests:** Corbus Pharmaceuticals  
**Consulting or Advisory Role:** AstraZeneca  
**Travel, Accommodations, Expenses:** DAVA Oncology, Bio Ascend  
**Other Relationship:** Pfizer  
**Open Payments Link:** <https://openpaymentsdata.cms.gov/physician/9137031>

**Gilberto de Lima Lopes**

**Stock and Other Ownership Interests:** Lucence Diagnostics, Xilis  
**Honoraria:** Boehringer Ingelheim, Blueprint Medicines, AstraZeneca, Merck, Janssen  
**Consulting or Advisory Role:** Pfizer, AstraZeneca  
**Research Funding:** Merck Sharp & Dohme (Inst), EMD Serono (Inst), AstraZeneca (Inst), AstraZeneca, Blueprint Medicines (Inst), Tesaro (Inst), Bavarian Nordic (Inst), Novartis (Inst), G1 Therapeutics (Inst), Adaptimmune (Inst), BMS (Inst), GlaxoSmithKline (Inst), AbbVie (Inst), Rgenix (Inst), Pfizer (Inst), Roche (Inst), Genentech (Inst), Lilly (Inst), Janssen (Inst), Lucence, Xilis, E.R. Squibb Sons, LLC  
**Travel, Accommodations, Expenses:** Boehringer Ingelheim, Pfizer, E.R. Squibb Sons, LLC, Janssen, Seagen, Celgene, Ipsen, Pharmacyclics, Merck, AstraZeneca  
**Other Relationship:** Mirati Therapeutics

**Sam Lubner**

**Stock and Other Ownership Interests:** Elephas Bio  
**Consulting or Advisory Role:** Elephas Bio  
**Research Funding:** Agios (Inst), Bristol Myers Squibb Foundation (Inst), AstraZeneca/MedImmune/Spirogen (Inst), Incyte (Inst)  
**Open Payments Link:** <https://openpaymentsdata.cms.gov/physician/1046782>

**Narjust Florez**

**Consulting or Advisory Role:** AstraZeneca, Pfizer, NeoGenomics Laboratories, Janssen, Merck, Mirati Therapeutics, Daiichi Sankyo/Astra Zeneca, Regeneron  
**Other Relationship:** MJH Life Sciences, Medscape  
 No other potential conflicts of interest were reported.

## APPENDIX

TABLE A1. Participants' Experience in Grant/Award Applications and Career Goal Support by Primary Mentor Status

Variable	Having a Primary Mentor		P
	Yes (n = 231), No. (%)	No (n = 63), No. (%)	
Experience in applying for grants and awards			
Applied for any grant			
Yes	102 (44.2)	19 (30.2)	.068
No	120 (51.9)	43 (68.3)	
Not reported	9 (3.9)	1 (1.6)	
Type of grant: T32			
Yes	27 (26.5) <sup>a</sup>	4 (21.1) <sup>a</sup>	.778
Type of grant: YIA			
Yes	54 (52.9) <sup>a</sup>	7 (36.8) <sup>a</sup>	.221
Type of grant: F31			
Yes	11 (10.8) <sup>a</sup>	2 (10.5) <sup>a</sup>	1
Applied for any award			
Yes	103 (44.6)	16 (25.4)	.005
No	117 (50.6)	46 (73.0)	
Not reported	11 (4.8)	1 (1.6)	
Type of award: merit			
Yes	58 (56.3) <sup>b</sup>	9 (56.2) <sup>b</sup>	1
Type of award: travel award			
Yes	42 (40.8) <sup>b</sup>	7 (43.8) <sup>b</sup>	1
Type of award: institutional			
Yes	28 (27.2) <sup>b</sup>	6 (37.5) <sup>b</sup>	.388
Experience in career goal support			
Having career goal support by their institution			
Yes	190 (82.3)	36 (57.1)	<.001
No	26 (11.3)	22 (34.9)	
Not reported	15 (6.5)	5 (7.9)	

Abbreviation: YIA, young investigator award.

<sup>a</sup>The denominator is the number of participants who reported having experience in applying for any grant (n = 102 for yes and n = 19 for no groups).

<sup>b</sup>The denominator is the number of participants who reported having experience in applying for any award (n = 103 for yes and n = 16 for no groups).